

# KIWICARE®



## Organic Super Spraying Oil

The safe effective organic way to control insect pests and disease on plants including fruit and vegetables

[www.kiwicare.co.nz](http://www.kiwicare.co.nz)

## Organic Super Spraying Oil

Natural horticultural oil for insect pest and disease control for organic growers.

### Benefits and Features

- A natural alternative to control a wide range of insect pests and diseases.
- For use on roses, fruit trees, citrus and ornamentals.
- No withholding period.
- BioGro® Certified Organic horticultural oil for use in organic gardening.
- Controls sap sucking insects that spread diseases.



### Controls

- [Aphids](#)
- [Mites](#)
- [Passion vine hoppers](#)
- [Whitefly](#)
- [Thrips](#)
- [Mealy bugs](#)
- [Scale insects](#)
- Many more

### Directions

#### Concentrate

1. Shake well.
2. Dilute the following:
3. Apples, pears and stonefruit, (winter) 40 ml or (summer) 20 ml per 1 L of clean water.
4. Citrus, ornamentals and roses, (winter) 20 ml or (summer) 10 ml per 1 L of clean water.

#### Ready to Use

1. Shake well.
  2. Using pinch and twist motion, adjust spray nozzle to 'SPRAY' position.
  3. Turn nozzle to 'STOP/OFF' position after use.
- Spray foliage until run off occurs.
  - Cover leaves on both the upper and lower surfaces as complete coverage is required for effective control.

### Available As

- 250 ml concentrate.
- 1 L ready to use

# Active Ingredients

Concentrate: 843 g/L mineral oil. Minimum unsulphonated residue content is 92%.

Ready to Use: 17.5 g/L mineral oil. Minimum unsulphonated residue content is 92%.

## For Best Results

- Apply in the evening.
- Apply in Spring and Autumn; but can be applied all year round.
- Ensure complete coverage of foliage including undersides of leaves and stems/bark.

## Caution

- Do not apply to delicate plants such as tomatoes, herbs, succulents etc.
- Do not use within 10 days of applying products containing sulphur, captan, carbaryl, dodine and methidathion. Do not apply to sensitive apple varieties such as Cox's Orange Pippin later than early green tip.
- Application to citrus fruit, particularly lemons, may result in leaf and fruit drop under certain conditions.
- Do not spray in the middle of the day, in strong sunlight or hot weather.
- Avoid applying in damp conditions or when rain is expected within 3 hours. In winter apply before buds open.
- Wash treated crops before eating. No withholding period.

## Regulations

Concentrate: HSNO Approval code: HSR000588.

Registered Pursuant to ACVM Act 1997 No P007401.

Ready to Use: HSNO Approval code: Non-hazardous

Registered Pursuant to ACVM Act 1997 No P008055.

Kiwicare BioGro® Number 4850 (See [kiwicare.co.nz](http://kiwicare.co.nz) for certificates)

**Last Updated:** April 2018

# Kiwicare.co.nz

For information, advice and our interactive  
problem solver

**Kiwicare Corporation Limited**

225 Maces Road, Bromley, Christchurch  
Phone (03) 389-0778